



C50 RACK CONVEYOR DISHWASHER COMPACT. FAST. MODULAR.

DISHWASHING



PRODUCT FEATURES C50

- LANGUAGE-NEUTRAL DISPLAY PUMP RINSE
- HIGHTEMP
- FAST DRAINAGE AND FILLING
- DOUBLE FILTRATION
- ZONE ACTIVATION
- NON-PRESSURIZED BOILER
- EFFICIENT TANK HEATING

AVAILABLE: UNDERCOUNTER | GLASSWASHER | HOOD TYPE



General data		C50 Single rinse	C50 Dual rinse
Tank capacity (rinse tank)	Ι	95	95 (12.5)
Rack dimension	mm	500 x 500	500 x 500
Clear entry height	mm	450	450
Passage width	mm	510	510
Working height (optional)	mm	900 (950)	900 (950)
Wash pump	kW	1.6	1.6
Noise emission	dB(A)	< 70	< 70
Splash guard		IPX5	IPX5







HOOD TYPE-P50

UNDERCOUNTER-U50

GLASSWASHER-G400





DISHWASHING

The Electrolux dishwashing range is produced for customers with the highest conceivable demands for Good efficiency, economy and ergonomics for dishwashing operation. The product range consists on Glasswashers, Undercounter Dishwashers, Hood Type Dishwashers, Rack type Dishwashers, Flight type dishwashers.







GLASSWASHER



RACK TYPE DISHWASHER



HOOD TYPE DISHWASHER



PROFESSIONAL WAREWASHING, CLEANING AND DISINFECTION TECHN





Upster U 400 GLASSWASHER MACHINE





Upster H 500 UNDERCOUNTER Machine





DISHWASHING



ECOMAX 602 HOOD-TYPE DISHWASHER

The dishwasher for ergonomic and efficient work processes in the kitchen. Combined with tables, it is a powerful partner for the catering and hotel sector.



ECOMAX G404

COMPACT GLASSWASHER

The fast and reliable glasswasher in compact design. Perfect for start-ups, small bars or restaurants.

CSA 200







PRE-RINSE UNIT & HOSE REEL



EX-1DP00-H Pre-Rinse Unit:

Single Lever Deck Mount Faucet, 24" Riser, 44" Flexible, Stainless Steel Hose, High Flow Spray Valve, 6" Wall Bracket & 18" Flexible Supply Hoses w/ Check Valves



5F-1SLX05

Faucet, Single Hole, 5-1/2" Swivel Gooseneck



EX-1DP12-H Pre-Rinse Unit:

Single Lever Deck Mount Faucet, Add-On Faucet, 12" Swing, Nozzle w/ Full Flow Aerator, 18" Riser, 44" Flexible Stainless Steel Hose, High Flow Spray Valve, 6" Wall Bracket & 18" Flexible Supply Hoses w/ Check Valves



5F-8DLX05

Faucet,8" Centers, Deck Mount,5" Spout



EX-6WP00-H Pre-Rinse Unit:

Single Lever Wall Mount Base Faucet, 24" Riser, 44" Flexible, 2 Saddleback Cove / P.O. Box 1088, Stainless Steel Hose, High Flow Spray Valve, 6" Wall Bracket & G 1/2" Male



5F-4CWX12

Equip 4" c/c Deck Mount Workboard Fct w/ 12" Swing Nozzle, 4" Wrist Action Handles



B-0113-B Pre-Rinse Unit:

EasyInstall Single Hole Deck Mount Mixing Faucet, Quarter, Turn Eterna Cartridges w/ Spring Checks, Lever Handles, 44" Flexible, Stainless Steel Hose, 1.15 GPM Spray Valve, 6" Wall Bracket & Flexible Stainless Steel Supply Hoses



5F-8DLX12

Faucet, Wall Mount, 8" Centers, 12" Swing Nozzle

B-3950 Waste Drain Valve : Twist Handle, 3-1/2" x 2" & 1-1/2" Adapter (Replaces B-3912 & B-3916)



B-0133-B Pre-Rinse Unit:

EasyInstall 8" Wall Mount Mixing Faucet, Quarter-Turn Eterna, Cartridges w/ Spring Checks, Lever Handles, 44" Flexible Stainless Steel Hose, 1.15 GPM Spray Valve, 6" Wall Bracket & 1/2" NPT Female Inlets



....

5HR-232-01 Open Hose Reel:
Black Powder Coated Steel, Open Hose Reel
w/ Ø3/8" x 35' Hose & High Flow Spray Valve



Black Powder Coated Steel, Open Hose Reel w/ Ø3/8" x 50' Hose & High Flow Spray Valve

