



VEGETABLE WASHER



ABOUT THE PRODUCT

"Our vegetable washer is competent to save more than 60% of the water in comparison of the leading manufacturers in our industry."

The washer itself includes all the necessary measures to safe guard the operator such as Sealed Top cover, Water proof Switches with Emergency Stop Function"

"Industrial Standard SS 304 complete structure"

"Washing of pan collars,
all nozzles are made of stainless steel 304"

"More then 60% Water saving"

"Washing container is made of SS 304(food grade)
with all plumbing, drainage connections"

"Makes vegetable washing 10 X easier"

"Hydraulic tilting mechanism for
ease of unloading of contents"

"Industrial standards components"

VEGETABLE WASHER (Tilting Type)

MODEL	KEI-TVW - 300	KEI-TVW - 500	KEI-TVW - 800
Tank Capacity	300L	500L	800L
Capacity / Green/Hard Vegetables	20/30 Kg per lot	30/50 Kg per lot	60/80 Kg per lot
Overall Size	1350 x 1000 x 850mm	1800 x 1000 x 850mm	2100 x 1000 x 850mm
Water Inlet	1"	1"	1"
Water Outlet	50mm	50mm	50mm
Total Electrical Load	1.5kw	2kw	3kw
Voltage	440v/3Ph	440v/3Ph	440v/3Ph
Control Panel	Front	Front	Front
Basket Size	900 x 700 x 575mm	1200 x 700 x 575mm	1500 x 750 x 575mm

POTATO PEELER



POTATO PEELER (ECONOMICAL SERIES)

MODEL	KEI-PP-10	KEI-PP-20	KEI-PP-30
Capacity	10kg	20kg	30kg
Efficiency	200-300 kg/Hr	500-600 kg/Hr	800-1000 kg/Hr
Power	1hp	2hp	2hp
Voltage	220v	220v	220v
Dimension (mm)	500 x 500 x 800	600 x 600 x 850	600 x 600 x 1000
Water Inlet	Yes	Yes	Yes



POTATO PEELER (PREMIUM SERIES)

MODEL	KEI-PP-10 (ps)	KEI-PP-20 (ps)	KEI-PP-30 (ps)
Capacity	10kg	20kg	30kg
Efficiency	300-500 kg/Hr	600-800 kg/Hr	1200-1500 kg/Hr
Power	1hp	2hp	2hp
Voltage	220v	220v	220v
Dimension (mm)	500 x 500 x 800	600 x 600 x 850	650 x 650 x 1000
Water Inlet	Yes	Yes	Yes



VEGETABLE CUTTER

ABOUT THE PRODUCT

An all-in-one multi-functional veg-cutter to slice, chop, dice or julienne vegetables and greens. Comes with a belt feed and hopper feed system at opposite ends which can be used simultaneously. Special Vegetable Belt Cutting cum Dicing Machine delivered with SS Guide. SS Finish fitted with a Conveyor Belt for Slicing application controlled by Inverter and has Cast Alloy Feeder for Dicing inbuilt in the machine.

MULTI FUNCTIONAL CONVEYOR VEGETABLE CUTTER

MODEL	KEI-M-CVC-1000
Capacity	800-1200kg / per hr*
Power	1.75kw
Voltage	220v/1ph
Dimension	1200 x 600 x 1100mm
Material	Stainless Steel

*Hard Skin Vegetable 800-1200 kg / per hr.

*Green leafs Vegetable 400-600 kg / per hr.



CONVEYOR VEGETABLE CUTTER

MODEL	KEI-CVC-800
Capacity	600-800 kg/per hr*
Power	0.75 kw
Voltage	220v/1ph
Dimension	900 x 600 x 1100mm
Material	Stainless Steel

*Hard Skin Vegetable 600-800 kg / per hr.

*Green leafs Vegetable 200-300 kg / per hr.

